

FIG. 1A

	A	B	C
1			
3			
5			
7			
9			
11			
13			
15			

FIG. 1B




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16

	BASE STATION		REMOTE TERMINAL
300	ACQUIRE GPS TIMING		
302	DETERMINE BCH SLOT TIME		
304		BCH ⇒	
306			SCAN BCH CHANNELS
308			ACQUIRE FRAME TIMING
310			ACQUIRE SYNCHRONIZATION
312			BUILD MAP OF BASE STATIONS BCHS AND BSCCS
314			SELECT BASE STATION
316			BUILD CR USING UTID AND TRANSMIT POWER
318			SCAMBLE CR USING BSCC
320		⇐ CONFIGURATION REQUEST	
322	UNSCAMBLE CR USING BSCC		
324	DETERMINE SPATIAL SIGNATURE OF REMOTE CR		
326		CONFIGURATION ⇒ MESSAGE	
328			ADJUST TIMING AND POWER
330		⇐ TRAFFIC REQUEST	
332		TRAFFIC ASSIGNMENT ⇒	
334		⇐ TRAFFIC ⇒	
336		SEND PACKET ⇒	
338		⇐ SEND DA AND PACKET	
340		SEND DA AND PACKET ⇒	
342		⇐ SEND DA AND PACKET	

FIG. 17